

Item Audit Log 2.0

User Guide

Copyright

Copyright ©2008-2019 BoostSolutions Co., Ltd. All rights reserved.

All materials contained in this publication are protected by Copyright Law and no part of this publication may be reproduced, modified, displayed, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of BoostSolutions.

Our web site: http://www.boostsolutions.com

Content

1.	Introduction		
2. Installation			4
	2.1	Product Files	4
2.2		Software Requirements	5
	2.3	Installation	6
	2.4	Upgrade	8
	2.5	Uninstallation	8
	2.6	Command_Line Installation	8
	2.7	Feature Activation	10
3.	How	to use Item Audit Log	12
	3.1	View List or Library Audit Log	12
	3.2	View Item or Document Audit Log	14
	3.3	Filter Audit Log	15
	3.4	Export Audit Logs as CSV	18
4.	Tech	nical Limitations	19
5.	Troubleshooting & Support20		
Α	ppendix	A: License Management	21

1. Introduction

Item Audit Log provides the users capabilities to view audit logs on item or list level. Even better, users can filter the events on the specified date or by event type.

This user guide will guide you to install and configure Item Audit Log on your SharePoint.

For latest version of this copy or other user guides, please visit our document center:

http://www.boostsolutions.com/download-documentation.html

2. Installation

2.1 Product Files

After you download and unzip the Item Audit Log zip file from www.boostsolutions.com, you will find the following files:

Path	Descriptions
Setup.exe	A program that installs and deploys the WSP solution packages to the SharePoint farm.
EULA.rtf	The product End-User-License-Agreement.
Item Audit Log_V2_User Guide.pdf	User guide for Item Audit Log in PDF format.
Library\2.0\Setup.exe	The product installer for .Net Framework 2.0.
Library\2.0\Setup.exe.config	A file containing the configuration information for the installer.
Library\4.0\Setup.exe	The product installer for .Net Framework 4.0.
Library\4.0\Setup.exe.config	A file containing the configuration information for the installer.
Library\6.0\Setup.exe	The product installer for .Net Framework 4.6.
Library\6.0\Setup.exe.config	A file containing the configuration information for the installer.
Solutions\Foundtion\ BoostSolutions.FoundationSetup14.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2010 or SharePoint Foundation 2010.
Solutions\Foundtion\ BoostSolutions.FoundationSetup15.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2013 or SharePoint Foundation 2013.
Solutions\Foundtion\ BoostSolutions.FoundationSetup16.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2016/2019.
Solutions\Foundtion\Install.config	A file containing the configuration information for the installer.
Solutions \Classifier.ItemAuditLog \ Boost Solutions.ItemAuditLog 14.2.wsp	A SharePoint solution package containing product fundamental files and resources for

	SharePoint 2010 or SharePoint Foundation 2010.
Solutions \Classifier. Item Audit Log \ Boost Solutions. Item Audit Log 15.2. wsp	A SharePoint solution package containing product fundamental files and resources for SharePoint 2013 or SharePoint Foundation 2013.
Solutions\Classifier.ItemAuditLog\ BoostSolutions.ItemAuditLog16.2.wsp	A SharePoint solution package containing product fundamental files and resources for SharePoint 2016/2019
Solutions\Classifier.ItemAuditLog\Install.config	A file containing the configuration information for the installer.

2.2 Software Requirements

Before you install Item Audit Log, ensure your system meets the following requirements:

SharePoint 2019

Operating System	Windows Server 2016 Standard or Datacenter Windows Server 2019 Standard or Datacenter
Server	Microsoft SharePoint Server 2019
Browser	Microsoft Internet Explorer 11 or above Microsoft Edge Mozilla Firefox Google Chrome

SharePoint 2016

Operating System	Microsoft Windows Server 2012 Standard or Datacenter X64 Microsoft Windows Server 2016 Standard or Datacenter
Server	Microsoft SharePoint Server 2016 Microsoft .NET Framework 4.6
Browser	Microsoft Internet Explorer 10 or above Microsoft Edge Mozilla Firefox Google Chrome

SharePoint 2013

Operating System	Microsoft Windows Server 2012 Standard or Datacenter X64 Microsoft Windows Server 2008 R2 SP1		
Server	Microsoft SharePoint Foundation 2013 or Microsoft SharePoint Server 2013 Microsoft .NET Framework 4.5		
Browser	Microsoft Internet Explorer 8 or above Microsoft Edge Mozilla Firefox Google Chrome		

SharePoint 2010


Operating System	Microsoft Windows Server 2008 x64 Microsoft Windows Server 2008 R2
Server	Microsoft SharePoint Foundation 2010 or Microsoft SharePoint Server 2010 Microsoft SharePoint Foundation 2010 SP1 or Microsoft SharePoint Server 2010 SP1 Microsoft .NET Framework 3.5
Browser	Microsoft Internet Explorer 8 or above Mozilla Firefox Google Chrome

2.3 Installation

Follow these steps to install Item Audit Log on your SharePoint servers.

Installation Preconditions

Before you start installing the product, please make sure these services are started on your SharePoint servers: **SharePoint Administration** and **SharePoint Timer**.



Item Audit Log must be run on one front-end Web server in the SharePoint farm where **Microsoft**SharePoint Foundation Web Application services are running. Check Central Administration →

System Settings for a list of servers running this service.

Required Permissions

To perform this procedure, you must have specific permissions and rights.

- Member of the local server's Administrators group.
- Member of the Farm Administrators group.

To install Item Audit Log on SharePoint server.

- 1. Download the zip file (*.zip) of the product of your choice from the BoostSolutions website, then extract the file.
- 2. Open the created folder and run the **Setup.exe** file.

Note If you cannot run the setup file, please right click the **Setup.exe** file and choose Run as administrator.

3. A system check is performed to verify if your machine meets all the requirements for installing the product. After the system check is finished, click **Next**.

- 4. Review and accept the End-User License Agreement and click Next.
- 5. In the Web Application Deployment Targets, select the web applications you are going to install and click **Next**.

Note If you select **Automatically activate features**, the product features will be activated in the target site collection during the installation process. If you want to manually activate the product feature later, uncheck this box.

- Upon completion of the installation, details are displayed showing which web applications you product has been installed to.
- Click Close to finish the installation.

2.4 Upgrade

Download the latest version of our product and run the **Setup.exe** file.

In the **Program Maintenance** window, select **Upgrade** and click **Next**.

Note: if you have installed Classifier 1.0 on your SharePoint servers, to upgrade to Item Audit Log 2.0 or above, you need to:

Download the new version of Classifier (2.0 or above), and upgrade the product.

Or,

Remove Classifier 1.0 from your SharePoint servers, and install Item Audit Log 2.0 or above.

2.5 Uninstallation

If you want to uninstall the product, double-click the **Setup.exe** file.

In the **Repair or Remove** window, select **Remove** and click **Next**. Then the application will be removed.

2.6 Command_Line Installation

The following instructions are for installing the solution files for Item Audit Log in **SharePoint 2010** by using the SharePoint STSADM command line tool.

Required permissions

To use STSADM, you must be a member of the local Administrators group on the server.

To install Item Audit Log to SharePoint servers.

If you have installed BoostSolutions products before, please skip the steps of Foundation installation.

- 1. Extract the files from the product zip pack to a folder on one SharePoint server.
- 2. Open a command prompt and make sure your path is set with the SharePoint bin directory.

• SharePoint 2010

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\14\BIN

• SharePoint 2013

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\15\BIN

• SharePoint 2016/2019

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\16\BIN

3. Add the solution files to SharePoint in the STSADM command line tool.

```
stsadm -o addsolution -filename BoostSolutions.FoundationSetup14.1.wsp
stsadm -o addsolution -filename BoostSolutions.ItemAuditLog14.2.wsp
```

4. Deploy the added solution with the following command:

```
stsadm -o deploysolution -name BoostSolutions.FoundationSetup14.1.wsp -allowgacdeployment -url [virtual server url] -immediate
```

stsadm -o deploysolution -name BoostSolutions.ItemAuditLog14.2.wsp -allowgacdeployment -url [virtual server url] -immediate

5. Wait for the deployment to complete. Check the final status of the deployment with this command:

```
stsadm -o displaysolution -name BoostSolutions.FoundationSetup14.1.wsp
stsadm -o displaysolution -name BoostSolutions.ItemAuditLog14.2.wsp
```

The result should contain a <Deployed> parameter for which the value is TRUE.

6. In the STSADM tool, activate the features.

stsadm -o activatefeature -name SharepointBoost.ListManagement.Audit –url [site collection url] – force

To remove Item Audit Log from SharePoint servers.

1. Removal is initiated with the following command:

stsadm -o retractsolution -name BoostSolutions.ItemAuditLog14.2.wsp -immediate -url [virtual server url]

2. Wait for the removal to finish. To check the final status of the removal you can use the following command:

stsadm -o displaysolution -name BoostSolutions.ItemAuditLog14.2.wsp

The result should contain the <Deployed> parameter for which the value is FALSE and the <LastOperationResult> parameter with the RetractionSucceeded value.

3. Remove the solution from the SharePoint solutions storage:

stsadm -o deletesolution -name BoostSolutions.ItemAuditLog14.2.wsp

To remove BoostSolutions Foundation from SharePoint servers.

The BoostSolutions Foundation is mainly designed to provide a centralized interface to manage licenses for all BoostSolutions software from within SharePoint Central Administration. If are still using BoostSolutions product on your SharePoint server, please do not remove Foundation from the servers.

1. Removal is initiated with the following command:

stsadm -o retractsolution -name BoostSolutions.FoundationSetup14.1.wsp –immediate –url [virtual server url]

2. Wait for the removal to finish. To check the final status of the removal you can use the following command:

stsadm -o displaysolution -name BoostSolutions.FoundationSetup14.1.wsp

The result should contain the <Deployed> parameter for which the value is FALSE and the <LastOperationResult> parameter with the RetractionSucceeded value.

3. Remove the solution from the SharePoint solutions storage:


stsadm -o deletesolution -name BoostSolutions.FoundationSetup14.1.wsp

2.7 Feature Activation

By default, the application's features are automatically activated once the product is installed. You can also activate the product feature manually.

To activate product feature, you must be a site collection administrator.

- 1. Click **Settings** and then click **Site Settings**.
- 2. Under Site Collection Administration click Site collection features.
- 3. Find the application feature and click **Activate**. After a feature is activated, the Status column lists the feature as **Active**.



3. How to use Item Audit Log


The Item Audit Log is based on the SharePoint audit feature, make sure the audit settings is enabled and configured in site.

Configure Audit Settings


Audit Log Trimming Specify whether the audit log for this site should be automatically trimmed and	Automatically trim the audit log for this site? O No		
optionally store all of the current audit data in a document library. The schedule for audit log trimming is configured by your server administrator. Learn more		number of days of audit log data to retain:	
about audit log trimming.		dit data for longer than this, please specify a document ore audit reports before trimming occurs: Browse	
Documents and Items Specify the events that should be audited for documents and items within this site collection.	Specify the events to audit: ☐ Opening or downloading documents, viewing items in lists, or viewing item properties ☐ Editing items ☐ Checking out or checking in items ☐ Moving or copying items to another location in the site ☐ Deleting or restoring items		
Lists, Libraries, and Sites Specify the events that should be audited for lists, libraries, and sites within this site collection.	Specify the events to audit: ☑ Editing content types and columns ☑ Searching site content ☑ Editing users and permissions		

3.1 View List or Library Audit Log

- 1. Enter the list or library which you want to view the audit logs for.
- 2. Find View Audit Log under List or Library tab.




3. Click View Audit Log button. An audit log window will open as follows:




Note: To view list or library audit logs, you must have **Manage List** permission.

4. To sort the events based on the occurred time, click header of **Time** column.




3.2 View Item or Document Audit Log

- 1. Enter the list or library and select an item or document which you want to view audit logs for.
- 2. Find **View Audit Log** under **ITEMS** or **FILES** tab.




You can also find **View Audit Log** in the context menu.



Note: The View Audit Log menu is not avaliable for SharePoint 2019.

3. Click **View Audit Log** button. An audit log window will open as follows:




Note: To view item or document audit logs, you must have Manage List permission.

3.3 Filter Audit Log

Item Audit Log enables users to locate audit data by filtering. You can filter details by date, user and event type.


Filter by date

To filter logs by date, select the start date and end date from the date picker, then click **Filter** button.




• Filter by user

To filter logs by user, type the user name in the **User** box, then click **Filter** button.



• Filter by event type

To filter logs by event type, select one type from the **Event** drop-down list, then click **Filter** button.



Following event types can be used to filter: View, Update, Delete, Copy, Move, Check Out, Check In, Workflow, Child Move, Child Delete, Restore from recycle bin and custom.



To clear the filters, click **Reset** button.

3.4 Export Audit Logs as CSV

Item Audit Log allows users to export the audit data to a .csv file, so that you can analysis the events further.

1. To export the audit, click the **Export as CSV** button.

2. Then, specify the location to save the CSV file.

4. Technical Limitations

There are some technical limitations with Item Audit Log.

• Item Audit Log does not work on Microsoft SharePoint Foundation 2010

5. Troubleshooting & Support

Troubleshooting FAQ:

http://www.boostsolutions.com/general-fag.html#Show=ChildTitle9

Contact Info:

Product & Licensing Inquires: sales@boostsolutions.com

Technical Support (Basic): support@boostsolutions.com

Request a New Product or Feature: <u>feature request@boostsolutions.com</u>

Live chat:

 $\underline{http://www.boostsolutions.com/support/chat/livezilla.php?intgroup=U3VwcG9ydA==\&reset=true}$


Appendix A: License Management

You can use Item Audit Log without entering any license code for a period of 30 days from when you first use it.

To use the product after expiration, you will need to purchase a license and register the product.

Finding License Information

- Navigate to the BoostSolutions Software Management section in Central Administration. Then, click License Management Center link.
- 2. Click Download License Information, choose a license type and download the information (Server Code, Farm ID or Site Collection ID).




In order for BoostSolutions to create a license for you, you need to send us your SharePoint environment identifier (Note: different license types need different information). A server license needs a server code; a Farm license needs a farm ID; and a site collection license needs a site collection ID.

3. Send the above information to us (sales@boostsolutions.com) to generate a license code.

License Registration

- 1. When you receive a product license code, enter the **License Management Center** page.
- 2. Click **Register** on the license page and a **Register or Update license** window will open.



3. Upload the license file or enter the license code and click **Register**. You will get confirmation that your license has been validated.

Register or Update license



Registered Successfully

- ▶ The license was verified successfully.
- ▶ Thank you for choosing BoostSolutions.

If you encounter any problems or would like to suggest a product requirement, please contact support@boostsolutions.com

Close

For more details on license management, see the <u>BoostSolutions Foundation</u>.